

Chemical Solutions, Inc.
506 Whitestore Road
South New Berlin, NY 13843
Tel: 607-334-3229 www.chemicalsolutionsinc.com

M A T E R I A L S A F E T Y D A T A S H E E T

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 309176
NAME: POTASSIUM DICHROMATE, 99.95-100.05%

SECTION 2. ----- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS #: 7778-50-9
MF: CR2K2O7
EC NO: 231-906-6

SYNONYMS

BICHROMATE OF POTASH * DIPOTASSIUM DICHROMATE * IOPEZITE *
KALIUMDICHROMAT (GERMAN) * POTASSIUM BICHROMATE * POTASSIUM
DICHROMATE * POTASSIUM DICHROMATE(VI) *

SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

OXIDIZING
HIGHLY TOXIC (USA)
VERY TOXIC (EU)
CONTACT WITH COMBUSTIBLE MATERIAL MAY CAUSE FIRE.
VERY TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.
CAUSES BURNS.
MAY CAUSE CANCER.
MAY CAUSE HERITABLE GENETIC DAMAGE.
MAY CAUSE SENSITIZATION BY INHALATION AND SKIN CONTACT.
TARGET ORGAN(S):

LUNGS
KIDNEYS

CAUSES BURNS.
SENSITIZER.
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE
PROTECTION.
IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).
THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF AS
HAZARDOUS WASTE.
AVOID RELEASE TO THE ENVIRONMENT. REFER TO SPECIAL INSTRUCTIONS/
SAFETY DATA SHEETS.

SECTION 4. ----- FIRST-AID MEASURES-----

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.
CALL A PHYSICIAN IMMEDIATELY.
IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER
FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND
SHOES. CALL A PHYSICIAN.
IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER
FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING
THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. ----- FIRE FIGHTING MEASURES -----

EXTINGUISHING MEDIA

CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM.
SPECIAL FIREFIGHTING PROCEDURES
FOR FIRES INVOLVING THIS MATERIAL, DO NOT ENTER ANY ENCLOSED OR
CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT. THIS MAY
INCLUDE SELF-CONTAINED BREATHING APPARATUS TO PROTECT AGAINST THE
HAZARDOUS EFFECTS OF THE NORMAL PRODUCTS OF COMBUSTION OR OXYGEN
DEFICIENCY.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS

CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE.
EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY
RUBBER GLOVES.
SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL.
AVOID RAISING DUST.
VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

EVACUATE AREA.

SECTION 7.----- HANDLING AND STORAGE-----

REFER TO SECTION 8.

SECTION 8.----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

SAFETY SHOWER AND EYE BATH.
USE ONLY IN A CHEMICAL FUME HOOD.
WASH CONTAMINATED CLOTHING BEFORE REUSE.
WASH THOROUGHLY AFTER HANDLING.
DO NOT BREATHE DUST.
DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
AVOID PROLONGED OR REPEATED EXPOSURE.
NIOSH/MSHA-APPROVED RESPIRATOR.
COMPATIBLE CHEMICAL-RESISTANT GLOVES.
CHEMICAL SAFETY GOGGLES.
KEEP TIGHTLY CLOSED.
KEEP AWAY FROM COMBUSTIBLE MATERIALS, HEAT, SPARKS, AND OPEN FLAME.
STORE IN A COOL DRY PLACE.

SECTION 9.----- PHYSICAL AND CHEMICAL PROPERTIES -----

APPEARANCE AND ODOR
ORANGE CRYSTALLINE POWDER

PHYSICAL PROPERTIES
SOLUBILITY:
WATER -Z26104
PH: 3.5 - 5.0
SWISS POISON CLASS: 4

SECTION 10.----- -STABILITY AND REACTIVITY -----

STABILITY
STABLE.

INCOMPATIBILITIES
ORGANIC MATERIALS
AVOID CONTACT WITH ACID.
FINELY POWDERED METALS

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS
POTASSIUM OXIDES
CHROMIUM (VI) OXIDE

HAZARDOUS POLYMERIZATION
WILL NOT OCCUR.

SECTION 11.----- TOXICOLOGICAL INFORMATION -----

ACUTE EFFECTS
INHALATION OF DICHROMATE DUSTS CAN CAUSE ULCERATION AND PERFORATION OF THE NASAL SEPTUM. CONTACT WITH BREAKS IN THE SKIN CAN CAUSE ULCERATION (CHROME SORES). OTHER SYMPTOMS OF EXPOSURE INCLUDE EROSION AND DISCOLORATION OF THE TEETH, NEPHRITIS, EPIGASTRIC PAIN (INFLAMMATION AND ULCERATION OF THE GASTROINTESTINAL TRACT). MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES AND SKIN.
INHALATION MAY RESULT IN SPASM, INFLAMMATION AND EDEMA OF THE LARYNX AND BRONCHI, CHEMICAL PNEUMONITIS AND PULMONARY EDEMA. SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA AND VOMITING.
INGESTION CAN CAUSE:
VOMITING
CYANOSIS
COMA
CAUSES BURNS.
MAY BE FATAL IF ABSORBED THROUGH SKIN.
MATERIAL IS EXTREMELY DESTRUCTIVE TO THE TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT.
MAY BE FATAL IF INHALED.
MAY BE FATAL IF SWALLOWED.
MAY CAUSE ALLERGIC RESPIRATORY AND SKIN REACTIONS.

CHRONIC EFFECTS
MAY ALTER GENETIC MATERIAL.
THIS IS OR CONTAINS A COMPONENT THAT HAS BEEN REPORTED TO BE CARCINOGENIC BASED ON ITS IARC, OSHA, ACGIH, NTP OR EPA CLASSIFICATION.
TARGET ORGAN(S):
LUNGS
KIDNEYS
BLOOD

RTECS #: HX7680000
DICHROMIC ACID, DIPOTASSIUM SALT

TOXICITY DATA

ORL-CHD LDLO:26 MG/KG	ZEKIA5 81,417,1958
ORL-MAN LDLO:143 MG/KG	YAKUD5 40,2677,1998
ORL-CHD LDLO:50 MG/KG	YAKUD5 40,2677,1998
ORL-RAT LD50:25 MG/KG	NTIS** OTS0545929
IPR-RAT LD50:28 MG/KG	GISAAA (5),30,1997
ORL-MUS LD50:190 MG/KG	SAIGBL 20,590,1978
IPR-MUS LD50:37 MG/KG	CRNGDP 4,1535,1983
SKN-RBT LD50:14 MG/KG	NTIS** OTS0537040

TARGET ORGAN DATA

SENSE ORGANS AND SPECIAL SENSES (OTHER EYE EFFECTS)
 BEHAVIORAL (SOMNOLENCE)
 BEHAVIORAL (ATAXIA)
 VASCULAR (BP LOWERING NOT CHARACTERIZED IN AUTONOMIC SECTION)
 LUNGS, THORAX OR RESPIRATION (ACUTE PULMONARY EDEMA)
 LUNGS, THORAX OR RESPIRATION (DYSPPNAE)
 LUNGS, THORAX OR RESPIRATION (RESPIRATORY STIMULATION)
 GASTROINTESTINAL (HYPERMOTILITY, DIARRHEA)
 GASTROINTESTINAL (NAUSEA OR VOMITING)
 KIDNEY, URETER, BLADDER (CHANGES IN TUBULES)
 KIDNEY, URETER, BLADDER (INTERSTITIAL NEPHRITIS)
 KIDNEY, URETER, BLADDER (URINE VOLUME DECREASED OR ANURIA)
 SKIN AND APPENDAGES (AFTER SYSTEMIC EXPOSURE: DERMATITIS, OTHER)
 PATERNAL EFFECTS (SPERMATOGENESIS)
 MATERNAL EFFECTS (OTHER EFFECTS ON FEMALE)
 EFFECTS ON FERTILITY (PRE-IMPLANTATION MORTALITY)
 EFFECTS ON FERTILITY (POST-IMPLANTATION MORTALITY)
 EFFECTS ON FERTILITY (LITTER SIZE)
 EFFECTS ON FERTILITY (OTHER MEASURES OF FERTILITY)
 EFFECTS ON EMBRYO OR FETUS (EXTRA EMBRYONIC STRUCTURES)
 EFFECTS ON EMBRYO OR FETUS (FETOTOXICITY)
 EFFECTS ON EMBRYO OR FETUS (FETAL DEATH)
 SPECIFIC DEVELOPMENTAL ABNORMALITIES (CRANIOFACIAL)
 SPECIFIC DEVELOPMENTAL ABNORMALITIES (MUSCULOSKELETAL SYSTEM)
 ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
 (RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR
 COMPLETE INFORMATION.

SECTION 12. ----- ECOLOGICAL INFORMATION -----
 DATA NOT YET AVAILABLE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----
 CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF
 THIS MATERIAL.
 DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A
 CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
 OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. ----- TRANSPORT INFORMATION -----
 CONTACT ALDRICH CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION.

SECTION 15. ----- REGULATORY INFORMATION -----

EUROPEAN INFORMATION

EC INDEX NO: 024-002-00-6

OXIDIZING
 VERY TOXIC

R 49
 MAY CAUSE CANCER BY INHALATION.

R 46
 MAY CAUSE HERITABLE GENETIC DAMAGE.

R 41
 RISK OF SERIOUS DAMAGE TO EYES.

R 43
 MAY CAUSE SENSITIZATION BY SKIN CONTACT.

R 50/53
 VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE
 EFFECTS IN THE AQUATIC ENVIRONMENT.

S 45
 IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
 IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK

ACGIH TLV-TWA 0.05 MG(CR)/M3 DTLVS* TLV/BEI,1999

ACGIH TLV-CONFIRMED HUMAN CARCINOGEN DTLVS* TLV/BEI,1999

IARC CANCER REVIEW:HUMAN INADEQUATE EVIDENCE IMEMDT 23,205,1980

IARC CANCER REVIEW:HUMAN SUFFICIENT EVIDENCE IMEMDT 49,49,1990

IARC CANCER REVIEW:ANIMAL INADEQUATE EVIDENCE IMEMDT 23,205,1980
IARC CANCER REVIEW:GROUP 1 IMEMDT 49,49,1990
EPA FIFRA 1988 PESTICIDE SUBJECT TO REGISTRATION OR RE-REGISTRATION
FEREAC 54,7740,1989
MSHA STANDARD-AIR:TWA 0.5 MG(CR)/M3
DTLVS* 3,35,1971
OSHA PEL (GEN INDU):CL 0.1 MG(CRO3)/M3
CFRGBR 29,1910.1000,1994
OSHA PEL (CONSTRUC):CL 0.1 MG(CRO3)/M3
CFRGBR 29,1926.55,1994
OSHA PEL (SHIPYARD):CL 0.1 MG(CRO3)/M3
CFRGBR 29,1915.1000,1993
OSHA PEL (FED CONT):CL 0.1 MG(CRO3)/M3
CFRGBR 41,50-204.50,1994
OEL-UNITED KINGDOM: CARCINOGEN, SEP2000
NIOSH REL TO CHROMIUM(VI)-AIR:10H CA TWA 0.001 MG(CR)/M3
NIOSH* DHHS #92-100,1992
NOHS 1974: HZD 80064; NIS 73; TNF 4772; NOS 53; TNE 42402
NOES 1983: HZD 80064; NIS 70; TNF 4860; NOS 58; TNE 61073; TFE 19198
EPA GENETOX PROGRAM 1988, POSITIVE: SHE-CLONAL ASSAY; IN VITRO
CYTOGENETICS-NONHUMAN
EPA GENETOX PROGRAM 1988, POSITIVE: B SUBTILIS REC ASSAY
EPA GENETOX PROGRAM 1988, POSITIVE: CHO GENE MUTATION
EPA TSCA SECTION 8(B) CHEMICAL INVENTORY
EPA TSCA SECTION 8(D) UNPUBLISHED HEALTH/SAFETY STUDIES
EPA TSCA TEST SUBMISSION (TSCATS) DATA BASE, JANUARY 2001

U.S. INFORMATION

THIS PRODUCT IS SUBJECT TO SARA SECTION 313 REPORTING REQUIREMENTS.
THIS PRODUCT IS OR CONTAINS CHEMICAL(S) KNOWN TO THE STATE OF
CALIFORNIA TO CAUSE CANCER.

SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO
BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA, ALDRICH,
FLUKA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING
OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR
PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

COPYRIGHT 2001 SIGMA-ALDRICH CO.

LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY